

School Aged Immunisation Service

Trinity House 110-120 Upper Pemberton Eureka Park Ashford Kent TN23 7SH

Phone: 0300 123 5205

Text: 07401320923

Email: kchft.cyp-immunisationteam@nhs.net Website: https://www.kentcht.nhs.uk/imms

July 2022

Parent / Carer Year 9 student Meadowfield School

Dear Parent / Carer

21st September 2022 - Human Papilloma Virus (HPV) vaccination in school – dose two.

The immunisation team will be visiting your child's school on the above date/s to give dose two of the Human Papilloma Virus (HPV) vaccination.

If you have previously consented for your child to receive HPV:

 You are not required to give consent again as you will already have consented when your son/daughter received their first dose.

If you declined consent for HPV dose one:

This will remain as declined for dose two.

If your child did not receive dose one in Year 8, and you would like them to be vaccinated:

Please discuss this cancer prevention immunisation with your child and complete the online consent form at: https://www.kentcht.nhs.uk/imms before midnight on 13th September 2022.

To use the consent form you will need to enter one of the following details for your child:

- NHS number or
- legal surname, date of birth and postcode

Please submit either a YES consent or a NO consent as we will continue to invite your child to be vaccinated unless we hear from you. This may mean that one of our team calls you to obtain verbal consent over the phone.

If we are unable to vaccinate your child at school you will receive an email with a link to our online clinic booking site where you can book an immunisation appointment.

Cont./

Chairman John Goulston Chief Executive Paul Bentley Trust HQ The Oast, Unit D, Hermitage Court, Hermitage Lane, Barming, near Maidstone, Kent ME16 9NT



Please note that a young person can consent to having a vaccination if they are assessed as competent to do so. For information on young people's right to consent please go to: https://www.nhs.uk/conditions/consent-to-treatment/children

If you have any further queries, please either <u>email us</u>, phone us on 0300 123 5205, text us on 07401320923 or <u>click here to Web chat</u>

For more information about the vaccinations please go to: <u>Immunisations for young people - your</u> questions answered (publishing.service.gov.uk)

How can we help you?

We can provide communication support or information in different formats. Please tell us as soon as possible, or ask someone to tell us on your behalf, if you need any support, including the following:

- · An interpreter, a British Sign Language (BSL) interpreter, or information in another language
- · Information in large print, Braille, Easy Read (using pictures) or audio.

Kind regards

Catherine Burton

Mun

Head of School Age Immunisation Service Kent and Medway Immunisation Team Kent Community Health NHS Foundation Trust

Find us on our social media pages and give us a follow

Your information

If you would like to find out what happens to personal information held about you, please read the <u>your personal information</u> section on our Legal page. You can also read our <u>privacy policy</u> for more information.



vaccination

Protecting against HPV infection to help reduce your risk of cancer



The universal HPV

immunisation programme

More than 280 million doses of the HPV vaccine have been given worldwide, including 120 million doses in the US and over 10 million in the UK. The HPV vaccine has been offered to all girls in school year 8 since September 2008. From September 2019 the vaccine has also been offered to year 8 boys.

This is because the evidence is clear that the HPV vaccine helps protect both boys and girls from HPV-related cancers.

The HPV vaccine helps protect you from being infected by the human papillomavirus (HPV).


This virus increases the risk of developing some cancers later in life, such as:

- cervical cancer
- some mouth and throat cancers
- some cancers of the anus and genital areas


The HPV vaccine does not protect against other sexually transmitted infections.

HPV and how it spreads


HPV infection is very common. More than 70% of unvaccinated people will get it



HPV lives on the skin in and around the whole genital area, so using condoms does not provide complete protection from HPV




There are many different types of HPV



Most HPV infections do not cause any symptoms and get better on their own



Some do not clear up and can lead to cancer whilst others cause genital warts



What difference has the HPV vaccine made so far?

Over 80 million people have received the vaccine worldwide.

In time it is expected that the vaccine will save hundreds of lives every year in the UK. A recent Scottish study has already shown a 71% reduction in pre-cancerous cervical disease in young women.

Ten years since the start of the vaccination programme in the UK there has been a big decline in HPV infections and in the number of young people with genital warts.

Having the HPV vaccine

The vaccine is given in your arm and you need 2 doses to be fully protected.

The first injection is given in year 8 and the second one usually 6 to 12 months later. You will be informed when you are due the second dose.



To give you the best protection, the vaccine should be given before you become sexually active.



The HPV vaccine

Gardasil has been the HPV vaccine used in the NHS vaccination schedule since 2012.

Sometime during the 2021 to 2022 academic year the HPV vaccine used in the programme will switch to Gardasil 9.

Gardasil 9 can be given for the first and second dose or to complete a course that was previously started with Gardasil.

I missed my vaccination, can I still have it?

Yes. If you missed either of your vaccinations at school, you should try and catch-up as soon as possible. Contact your school nurse, school immunisation team or GP practice to arrange an appointment. You remain eligible to receive the vaccine up until your 25th birthday.


Women who have had the vaccine will still need to go for cervical screening

All women aged 25 and over in England are offered cervical screening tests.

The vaccines will prevent up to 90% of cervical cancer cases, but women should still attend for cervical screening when invited to do so.

What about the other cancers?

There are currently no screening programmes for other HPV-related cancers. If you are worried about any symptoms speak to your GP practice.



Remember



to get your 2 doses of HPV vaccine at least 6 months apart



to get your HPV vaccine now, to protect yourself against a number of cancers in the future



in time it is expected that the vaccine will save hundreds of lives every year in the UK

For more information, visit www.nhs.uk/hpv

A complete list of ingredients for the Gardasil vaccine is given in the Patient Information Leaflet (PIL): www.medicines.org.uk/emc/ medicine/19033

A complete list of ingredients for the Gardasil 9 vaccine is given in the Patient Information Leaflet (PIL): www.medicines.org.uk/emc/product/7330/pil

The Summary of Product Characteristics (SPC): www.medicines.org.uk/emc/search?q=gardasil





This leaflet has been produced by by the UK Health Security Agency. **Immunisation, helping to protect everyone at every age.**